


## **Historic, Archive Document**

Do not assume content reflects current scientific knowledge, policies, or practices.





PUBLICATIONS OF THE BUREAU OF ENTOMOLOGY, U. S. DEPARTMENT OF AGRICULTURE,  
AVAILABLE FOR FREE DISTRIBUTION.

FARMERS' BULLETINS.

440. Spraying peaches for control of brown-rot, scab, and curculio.
444. Remedies and preventives against mosquitoes.
447. Bees.
450. Some facts about malaria.
547. The yellow-fever mosquito.
606. Collection and preservation of insects and other material for use in the study of agriculture.
627. The house centipede.
636. The chalcis fly in alfalfa seed.
637. The grasshopper problem and alfalfa culture.
650. The San Jose scale and its control.
658. Cockroaches.
662. The apple-tree tent caterpillar.
668. The squash-vine borer.
674. Control of the citrus thrips in California and Arizona.
675. The roundheaded apple-tree borer.
691. Grasshoppers and their control on sugar beets and truck crops.
695. Outdoor wintering of bees.
699. Hydrocyanic-acid gas against household insects.
701. The bagworm, an injurious shade-tree insect.
705. The catalpa sphinx.
708. The leopard moth: A dangerous imported enemy of shade trees.
721. The rose-chafer.
722. The leaf blister mite of pear and apple.
723. The oyster-shell scale and the scurfy scale.
725. Wireworms destructive to cereal and forage crops.
731. The true army worm and its control.
733. The corn and cotton wireworm in its relation to cereal and forage crops, with control measures.
734. Flytraps and their operation.
737. The clover leafhopper and its control in the Central States.
739. Cutworms and their control in corn and other cereal crops.
740. House ants: Kinds and methods of control.
747. Grasshoppers and their control with relation to cereal and forage crops.
752. The fall army worm or "grass worm" and its control.
754. The bedbug.
762. The false chinch bug and measures for controlling it.
763. Orchard barkbeetles and pinhole borers and how to control them.
766. The common cabbage worm.
778. Powder-post damage by Lyctus beetles to seasoned hardwood.
789. Mushroom pests and how to control them.
799. Carbon disulphid as an insecticide.
801. Mites and lice on poultry.
819. The tobacco budworm and its control.
831. The red spider on cotton and how to control it.
835. How to detect outbreaks of insects and save the grain crops.



- 837. The asparagus beetles and their control.
- 843. The important pecan insects and their control.
- 845. The gipsy moth and brown-tail moth and their control.
- 846. The tobacco beetle and how to prevent damage by it.
- 851. The house fly.
- 856. Control of diseases and insect enemies of the home vegetable garden.
- 857. Screw-worms and other maggots affecting animals.
- 860. Cranberry insect problems and suggestions for solving them.
- 862. Control of the citrus mealybug in California.
- 867. Tobacco hornworm insecticide.
- 868. Increasing the potato crop by spraying.
- 872. The bollworm or corn earworm.
- 875. The rough-headed corn stalk-beetle.
- 880. Fumigation of ornamental greenhouse plants with hydrocyanic-acid gas.
- 890. How insects affect the cotton plant and means of combating them.
- 891. The corn root-aphis and methods of controlling it.
- 897. Fleas and their control.
- 902. The silverfish: An injurious household insect.
- 908. Information for fruit growers about insecticides, spraying apparatus, and important insect pests.
- 914. Control of the melon aphis.
- 923. Fumigation of citrus trees.
- 928. Control of the Argentine ant in orange groves.
- 933. Spraying for the control of insects and mites attacking citrus trees in Florida.
- 940. White grubs.
- 944. Controlling the garden webworm in alfalfa fields.
- 950. The southern corn rootworm and farm practices to control it.
- 959. The spotted garden slug.
- 961. Transferring bees to modern hives.
- 971. The control of the clover-flower midge.
- 975. The control of European foulbrood.
- 982. Control of the green clover worm in alfalfa fields.
- 1003. How to control billbugs destructive to cereal and forage crops.
- 1006. The jointworm and its control.
- 1007. Control of the onion thrips.
- 1011. The woolly white fly in Florida citrus groves.
- 1012. Preparation of bees for outdoor wintering.
- 1014. Wintering bees in cellars.
- 1020. The sweet-potato weevil and its control.
- 1025. The larger corn stalk-borer.
- 1029. Conserving corn from weevils in the Gulf Coast States.
- 1037. White ants as pests in the United States and methods of preventing their damage.
- 1038. The striped cucumber beetle and its control.
- 1039. Commercial comb-honey production.
- 1046. The European corn borer: A menace to the country's corn crop.
- 1056. Controlling important fungous and insect enemies of the pear in the humid sections of the Pacific Northwest.
- 1061. Harlequin cabbage bug and its control.
- 1065. The flatheaded apple-tree borer.
- 1070. The fowl tick and how premises may be freed from it.
- 1074. The bean ladybird and its control.



- 1076. California oakworm.
- 1083. The Hessian fly and how to prevent losses from it.
- 1084. Control of American foulbrood.
- 1086. How insects affect the rice crop.
- 1094. The alfalfa caterpillar.
- 1097. The stable fly: How to prevent its annoyance and its losses to live stock.
- 1098. Dusting machinery for cotton boll weevil control.
- 1101. The Argentine ant as a household pest.
- 1104. Book-lice or psocids: Annoying household pests.
- 1128. Control of aphids injurious to orchard fruits, currant, gooseberry, and grape.
- 1140. Grasshopper control in the Pacific States.
- 1154. Aspen borer and how to control it.
- 1156. Angoumois grain moth.
- 1169. Insects injurious to deciduous shade trees and their control.
- 1185. Spraying for the alfalfa weevil.
- 1186. The southern pine beetle: A menace to the pine timber of the Southern States.
- 1193. The beet leaf-beetle and its control.
- 1197. Protection of mesquite cordwood and posts from borers.
- 1198. Swarm control.
- 1206. The corn earworm as an enemy of vetch.
- 1215. Beekeeping in the clover region. (In press)
- 1216. Beekeeping in the buckwheat region. (In press)
- 1217. The green-bug or spring grain-aphis: How to prevent its periodical outbreaks.
- 1220. Insect and fungous enemies of the grape.
- 1222. Beekeeping in the tulip-tree region. (In press).
- 1223. The chinch bug and its control. (In press)
- 1225. The potato leafhopper and its control.
- 1246. The peach borer.
- 1252. Sawflies injurious to rose foliage. (In press)
- 1257. Insects injurious to the mango in Florida and how to combat them. (In press)
- 1258. Webworms injurious to cereal and forage crops and their control. (In press)
- 1259. A sawfly injurious to young pines. (In press)
- 1260. Stored grain pests. (In press)
- 1261. The avocado: Its insect enemies and how to combat them. (In press)
- 1262. The boll weevil problem: Methods of reducing damage. (In press)
- 1270. The more important apple insects. (In press)

1001

1002

1003

1004

1005

1006

1007

1008

1009

1010

1011

1012

1013

1014

1015

1016

1017

1018

1019

1020

1021

1022

1023

1024

1025

1026

1027

1028

1029

1030

1031

1032

1033

1034

1035

1036

1037

1038

1039

1040

1041

1042

1043

1044

1045

1046

1047

1048

1049

1050



DEPARTMENT BULLETINS.

Most of these are professional papers intended for the use of entomologists.

- \*8. The western corn root-worm.
- \*14. The migratory habit of housefly larvae as indicating a favorable remedial measure: An account of progress.
- \*59. The tobacco splitworm.
- 93. The temperature of the honeybee cluster in winter.
- 95. Insect damage to the cones and seeds of Pacific Coast conifers.
- 100. Walnutseaphides in California.
- 111. The Sequoia pitch moth: A menace to pine in western Montana.
- 113. The lesser bud-moth.
- \*124. The alfalfa caterpillar.
- \*131. Repellents for protecting animals from the attacks of flies.
- 134. Citrus fruit insects in Mediterranean countries.
- 161. The Mediterranean fruit fly in Bermuda.
- 170. The European pine-shoot moth.
- \*173. The life history and habits of the pear thrips in California.
- \*184. The huisache girdler.
- \*233. Relation of the Arizona wild cotton weevil to cotton planting in the arid West.
- 245. Further experiments in the destruction of fly larvae in horse manure.
- \*264. The violet rove beetle.
- \*295. The Zimmerman pine moth.
- \*382. Cotton-boll weevil control in the Mississippi delta, with special reference to square picking and weevil picking.
- 443. The New Mexico range caterpillar and its control.
- \*491. The melon fly in Hawaii.
- 550. Control of the grape-berry moth in the Erie-Chautauqua grape belt.
- \*564. Collection of weevils and infested squares as a means of control of the cotton-boll weevil in the Mississippi delta.
- 571. The pecan-leaf case-bearer.
- 597. Some biological and control studies of *Gastrophilus haemorrhoidalis* and other bots of horses.
- 640. The Mediterranean fruit fly.
- 703. Miscellaneous truck-crop insects in Louisiana. I. Insects injurious to globe artichoke. II. The granulated cutworm. III. Experiments in controlling the tomato fruit worm with arsenicals.
- 723. The pink bollworm with special reference to steps taken by the Department of Agriculture to prevent its establishment in the United States.
- 731. Recent experimental work in poisoning cotton boll weevils.
- 737. The tobacco beetle: An important pest in tobacco products.
- \*766. A study of *Compsilura concinnata*, an imported tachinid parasite of the gipsy moth and the brown-tail moth.
- 787. Protection from the locust borer.
- 796. Use of toxic gases as a possible means of control of the peach-tree borer.
- 808. Studies on the life-history and habits of the jointworm flies of the genus *Harmolita*, with recommendations for control.

\*In the Bureau of Entomology only.

Sheet 14 of 14

100	100
101	101
102	102
103	103
104	104
105	105
106	106
107	107
108	108
109	109
110	110
111	111
112	112
113	113
114	114
115	115
116	116
117	117
118	118
119	119
120	120
121	121
122	122
123	123
124	124
125	125
126	126
127	127
128	128
129	129
130	130
131	131
132	132
133	133
134	134
135	135
136	136
137	137
138	138
139	139
140	140
141	141
142	142
143	143
144	144
145	145
146	146
147	147
148	148
149	149
150	150
151	151
152	152
153	153
154	154
155	155
156	156
157	157
158	158
159	159
160	160
161	161
162	162
163	163
164	164
165	165
166	166
167	167
168	168
169	169
170	170
171	171
172	172
173	173
174	174
175	175
176	176
177	177
178	178
179	179
180	180
181	181
182	182
183	183
184	184
185	185
186	186
187	187
188	188
189	189
190	190
191	191
192	192
193	193
194	194
195	195
196	196
197	197
198	198
199	199
200	200

Sheet 14 of 14

- \*812. The clover and alfalfa seed chalcis-fly.
- 826. Generic classification of the hemipterous family Aphididae.
- \*833. Chrysanthemum midge.
- 838. Cypress bark scale.
- 841. The western grass-stem sawfly.
- 847. Roundheaded apple-tree borer: Its life history and control.
- 872. Insect control in flour mills.
- \*875. Cotton boll weevil control by the use of poison.
- 885. Spotted apple-tree borer.
- 891. The green June beetle. (in press)
- 892. The beet leaf-beetle.
- 893. Experiments on the toxic action of certain gases on insects, seeds, and fungi.
- 899. Gipsy-moth tree-banding material: How to make, use, and apply it.
- 902. The western cabbage flea-beetle.
- 914. The red-banded leaf-roller.
- 918. Report on investigations of the pink bollworm of cotton in Mexico.
- 926. Studies in the biology of the Mexican cotton boll weevil in short-staple, upland, long-staple upland, and Sea Island cottons.
- 930. Effect of nicotine sulphate as an ovicide and larvicide on the codling moth and three other insects.
- 959. Experiments and remedial suggestions for the control of the codling moth in the Grand Valley of Colorado.
- 964. Garden flea-hoppers in alfalfa.
- 965. Control of the Argentine ant in California citrus orchards.
- 966. The European horse-radish webworm.
- 967. Results of work on blister beetles in Kansas.
- 986. Studies on the biology and control of chiggers.
- 992. Walnut husk-maggot.
- 1008. Rate of multiplication of the Hessian fly.
- 1016. Bionomics of the chinch bug.
- 1028. *Apanteles melanoscelus*, an imported parasite of the gipsy moth. (In press)
- 1032. The Blackhead Fireworm of Cranberry on the Pacific Coast. (In press)
- 1035. The red spider on the avocado.
- 1040. Control of the Citrophilous mealybug. (In press)
- 1051. Red Cedar Chests as Protectors Against Moth Damage. (In press)
- 1066. Curculios that attack the young fruits and shoots of walnut and hickory. (In press)

\*In the Bureau of Entomology Only.



DEPARTMENT CIRCULARS.

- 162. Some rules for poisoning the cotton boll weevil.
- 167. The Satin moth: An introduced enemy of poplars and willows.
- 172. The range crane-fly in California.
- 201. Eradication of the sweet-potato weevil in Florida.
- 210. Dispersion of the boll weevil in 1921.
- 213. Eradication of lice on pigeons. (In press).
- 216. Controlling the curculio, brown-rot, and scab in the peach belt of Georgia.  
(In press)

1. The first part of the document is a letter from the President of the United States to the Congress, dated January 3, 1862. It is a very important document, as it contains the President's message to the Congress, and is one of the most important documents in the history of the United States. It is a very long letter, and it contains a great deal of information about the state of the Union at that time. It is a very important document, and it is one of the most important documents in the history of the United States.

ENTOMOLOGY BULLETINS.

(Discontinued in 1914.)

- \*85, Part II. The slender seed-corn ground-beetle.
- \*85, Part III. The clover-root curculio.
- \*\*95, Part II. The maize billbug.

ENTOMOLOGY TECHNICAL SERIES.

(Discontinued in 1914.)

- \*19, Contents and Index.
- \*23, Part I. Some new California and Georgia Thysanoptera.
- \*24. The life history of the alder blight aphid.
- \*25, Part II. The yellow clover aphid.
- \*27, Part II. Classification of the Aleyrodidae, Part II.
- \*27. Contents and Index.

ENTOMOLOGY CIRCULARS.

(Discontinued in 1914.)

- \*50. The white ant. (Superseded by Farmers' Bulletin 1037.)
- \*87. The Colorado potato beetle.
- \*101. The apple maggot or "railroad worm."
- \*123. Methods of controlling tobacco insects.
- \*131. How to control the pear thrips.
- \*158. The clover mite.
- \*168. Spraying for white flies in Florida. (Superseded by Farmers' Bulletin 933.)
- \*173. Arsenate of lead as an insecticide against the tobacco hornworms. (Superseded by Farmers' Bulletin 867.)
- \*Unnumbered. The pink bollworm. 1914.

REPORTS, OFFICE OF THE SECRETARY.

(Technical.)

- \*99. Classification of the Cryphalinae, with descriptions of new genera and species.
- \*101. The woolly apple aphid.
- \*102. Descriptions of some weevils reared from cotton in Peru.
- \*107. Larvae of the Prioninae.

\*In The Bureau of Entomology only.





CIRCULARS, OFFICE OF THE SECRETARY.

- \*51. The Hessian fly situation in 1915.
- \*55. The spring grain-aphis or "greenbug in the Southwest and the possibilities of an outbreak in 1916.
- \*61. Important insects which may affect the health of man or animals engaged in military operations.

Yearbook Separates.

- \*622. Practical tree surgery.
- \*653. Edible snails.
- \*704. The practical use of the enemies of injurious insects.
- \*706. Suppression of the gipsy and brown-tail moths and its value to States not infested.

\*In Bureau of Entomology only.

